

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	104	(((((707/3,10,102,104.1,200,203. ccis. and phantom\$1 same file\$1) and content\$1) and (director\$3 or tree\$5 or hierarch\$4)) and (metadata or meta-data)) and (database or data near base)("5940840" "5564037" "5937164" "5892825" "6185306" "6014696" "6070167" "5668996" "5778361" "4967348" "5193182" "5249300" "5734901" "5740435" "5787446" "5878429" "5897631" "5911776" "5920864" "5958062" "5987459" "6029160" "6088694" "6128627" "6181342" "6230173" "6240391" "6253217" "6266682" "6269380" "6308179" "6330573" "6438630" "4033684" "4342085" "4760608" "4794519" "4868570" "4907285" "4941125" "4996640" "5012405" "5187786" "5216592" "5226154" "5230073" "5257185" "5283895" "5293618" "5343477"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/12 09:32
S2	35	("5842174" "6137549" "5325290" "5751798" "6067354" "6359976" "5644778" "5664109" "5995939" "6112183" "6453297" "6240441" "6351453" "6385301" "5659601" "5287270" "5235702" "6061503" "60615030").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 16:13
S3	60	("6272126" "6636868" "5245429" "5333183" "5537467" "5633910" "5721826" "5771282" "5819029" "5832085" "5857194" "5903636" "5966434" "6070241" "6091713" "6192112" "6275940" "6283761" "6298123" "6317882" "6332135" "6336105" "6338050" "6381306" "6411700" "6445786" "6473504" "4479196" "5475835" "5483582"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 16:23
S4	45	("5781773" "5924074" "6347329" "6564214" "5666524" "5870549" "5982863" "6240186" "6350066" "4870576" "5032989" "5664115" "6119133" "6421672" "6519616" "5392390" "5666553" "5701423" "5907603" "5974124" "5999939" "6122351" "6226412").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 16:34

S5	8658	707/6,7,10,102,104.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 16:37
S6	2137	((multiple\$1 or pluralit\$3) same (\$5feed or source\$1) and (convert\$3 or transform\$3 or translat\$3 or map\$4) same (uniform\$1 or normaliz\$3 or preset\$3 or predetermin\$3 or pre-set\$4 or pre-determin\$3) same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 16:51
S7	3	((multiple\$1 or pluralit\$3) same (\$5feed or source\$1) and (convert\$3 or transform\$3 or translat\$3 or map\$4) same (uniform\$1 or normaliz\$3 or preset\$3 or predetermin\$3 or pre-set\$4 or pre-determin\$3) same format\$1) and conflict\$3 same format\$1 and nomenclature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 16:43
S8	0	707/6,7,10,102,104.1.ccls. and ((multiple\$1 or pluralit\$3) same (\$5feed or source\$1) and (convert\$3 or transform\$3 or translat\$3 or map\$4) same (uniform\$1 or normaliz\$3 or preset\$3 or predetermin\$3 or pre-set\$4 or pre-determin\$3) same format\$1) and conflict\$3 same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 16:44
S9	56	707/6,7,10,102,104.1.ccls. and ((multiple\$1 or pluralit\$3) same (\$5feed or source\$1) and (convert\$3 or transform\$3 or translat\$3 or map\$4) same (uniform\$1 or normaliz\$3 or preset\$3 or predetermin\$3 or pre-set\$4 or pre-determin\$3) same format\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 16:44
S10	3	((multiple\$1 or pluralit\$3) same data near (feed\$1 or source\$1) and (reconcil\$7 or conflict\$3) same (uniform\$1 or normaliz\$3 or preset\$3 or predetermin\$3 or pre-set\$4 or pre-determin\$3) same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 16:54

S11	84	(multiple\$1 or pluralit\$3) same (data-feed\$1 or data near (feed\$1 or source\$1)) same (record\$1 or row\$1 or tuple\$1) same (field\$1 or column\$1 or attribute\$1) and (convert\$3 or translat\$3 or map\$4 or transform\$3) same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 17:00
S12	2	("10014843").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 17:01
S13	2	"20020128938"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 17:03
S14	0	wong\$.xa. and "707"/\$.ccls. and household\$3 near quer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 17:04
S15	5	household\$3 near quer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 17:15
S16	2	("6052693").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 17:15
S17	3	((multiple\$1 or pluralit\$3) same (\$5feed or source\$1) and (convert\$3 or transform\$3 or translat\$3 or map\$4) same (uniform\$1 or normaliz\$3 or preset\$3 or predetermin\$3 or pre-set\$4 or pre-determin\$3) same format\$1) and conflict\$3 same format\$1 and nomenclature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:05
S18	25245	(multiple\$1 or pluralit\$3) same (data near source\$1 or provider\$1) format\$1 and (normal\$8 or uniform\$3 or conform\$3) same nomenclature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:07

S19	5	(multiple\$1 or pluralit\$3) same (data near source\$1 or provider\$1) and format\$3 same (normal\$8 or uniform\$3 or conform\$3) same nomenclature\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:07
S20	2878	(multiple\$1 or pluralit\$3) same (data near source\$1 or provider\$1) and format\$3 same (normal\$8 or uniform\$3 or conform\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:08
S21	176	(multiple\$1 or pluralit\$3) same (data near source\$1 or provider\$1) and format\$3 same (normal\$8 or uniform\$3 or conform\$3) same (predetermin\$3 or pre-determin\$3 or preset\$4 or pre-set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:10
S22	22	(multiple\$1 or pluralit\$3) same (data near source\$1 or provider\$1) and format\$3 same (normal\$8 or uniform\$3 or conform\$3) same (predetermin\$3 or pre-determin\$3 or preset\$4 or pre-set\$4) same (zip\$5 or state\$1 or street\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:11
S23	16	(multiple\$1 or pluralit\$3) same (data near source\$1 or provider\$1) and format\$3 same (convert\$3 or transform\$6 or map\$5 or normaliz\$6) same (predetermin\$3 or pre-determin\$3 or preset\$4 or pre-set\$4) same (zip\$5 or state\$1 or street\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:13
S24	108	(multiple\$1 or pluralit\$3) same (source\$1 or provider\$1) and format\$3 same (convert\$3 or transform\$6 or map\$5 or normaliz\$6) same (predetermin\$3 or pre-determin\$3 or preset\$4 or pre-set\$4) same (zip\$5 or state\$1 or street\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:13
S25	0	"6389429".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:15
S26	2	household\$3 near quer\$3 and "707"/\$.ccis.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:19

S27	5	"200200326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:20
S28	1	Genealogy adj registry adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:24
S29	15	707/1-10,102,104.1.ccls. and (extract\$3 or transform\$6 or map\$5) same source\$1 same cleans\$3 same (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:31
S30	0	soundex\$3 and (extract\$3 or transform\$6 or map\$5) same (multiple\$1 or pluralit\$3) same source\$1 same (reconcil\$6 or conform\$3) same (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:32
S31	0	soundex\$3 and (extract\$3 or transform\$6 or map\$5) same (multiple\$1 or pluralit\$3) same source\$1 same (pre-determin\$3 or predetermine\$3 or preset\$3 or pre-set\$3) same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:33
S32	61	(extract\$3 or transform\$6 or map\$5) same (multiple\$1 or pluralit\$3) same source\$1 same (pre-determin\$3 or predetermine\$3 or preset\$3 or pre-set\$3) same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:34
S33	24	(extract\$3 or transform\$6 or map\$5) same (multiple\$1 or pluralit\$3) same source\$1 same (pre-determin\$3 or predetermine\$3 or preset\$3 or pre-set\$3) same format\$1 and (address\$1 or street\$1 or state\$1) same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:35
S34	1	"6029178".PN.	USPAT	OR	OFF	2004/03/16 15:36
S35	1	"6216175".PN.	USPAT	OR	OFF	2004/03/16 15:38
S36	14567	(source\$1 or data-feed\$1) and (resolv\$3 or reconcil\$3) same (address\$3 or street\$1 or cit\$3 or state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:40

S37	4882	(multiple\$1 or pluralit\$3 or various) same (source\$1 or data-feed\$1) and (resolv\$3 or reconcil\$3) same (address\$3 or street\$1 or cit\$3 or state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:41
S38	351	(multiple\$1 or pluralit\$3 or various) same (source\$1 or data-feed\$1) same (resolv\$3 or reconcil\$3) same (address\$3 or street\$1 or cit\$3 or state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:41
S39	212	(multiple\$1 or pluralit\$3 or various) same (source\$1 or data-feed\$1) same (resolv\$3 or reconcil\$3) same (street\$1 or state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:41
S40	212	(multiple\$1 or pluralit\$3) same (source\$1 or data-feed\$1) same (resolv\$3 or reconcil\$3) same (street\$1 or state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:42
S41	1	(multiple\$1 or pluralit\$3) same (source\$1 or data-feed\$1) same (resolv\$3 or reconcil\$3) same (street\$1 or state\$1) and (pre-determin\$3 or pre-set\$4) same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:42
S42	9	(multiple\$1 or pluralit\$3) same (source\$1 or data-feed\$1) same (resolv\$3 or reconcil\$3) same (street\$1 or state\$1) and (predetermin\$3 or preset\$4) same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:43
S43	1	wong\$.xa. and household\$3 near quer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:09
S44	144	(database or (data near (base\$1 or source\$1 or feed\$3))) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (typo\$9 or spell\$4 or error\$1 or inconsisten\$4) same (address\$3 or state\$1) same (uniform\$3 or conform\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:14

S45	87	(database or (data near (base\$1 or source\$1 or feed\$3))) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (typo\$9 or spell\$4 or error\$1 or inconsisten\$4) same (address\$3) same (uniform\$3 or conform\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:15
S46	1137	(database or (data near (base\$1 or source\$1 or feed\$3))) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (typo\$9 or spell\$4 or error\$1 or inconsisten\$4) same (uniform\$3 or conform\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:16
S47	1	(database or (data near (base\$1 or source\$1 or feed\$3))) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (typo\$9 or spell\$4 or error\$1 or inconsisten\$4) same (uniform\$3 or conform\$4) same format\$1 same (pre-determin\$3 or pre-defin\$3 or pre-set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:18
S48	0	(database or (data near (base\$1 or source\$1 or feed\$3))) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (inconsisten\$4) same format\$1 same (pre-determin\$3 or pre-defin\$3 or pre-set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:18
S49	0	(multiple\$1 or pluralit\$3) same (disparat\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (inconsisten\$4) same format\$1 same (pre-determin\$3 or pre-defin\$3 or pre-set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:19
S50	0	(multiple\$1 or pluralit\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (inconsisten\$4) same format\$1 same (pre-determin\$3 or pre-defin\$3 or pre-set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:19
S51	36	(multiple\$1 or pluralit\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (inconsisten\$4) same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:29

S52	112	(multiple\$1 or pluralit\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (consisten\$4) same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:33
S53	5879	(multiple\$1 or pluralit\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:33
S54	34	(multiple\$1 or pluralit\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (pre-determin\$3 or pre-set\$4 or pre-defin\$4) same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:35
S55	697	(multiple\$1 or pluralit\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (inconsisten\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:36
S56	300	(multiple\$1 or pluralit\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (inconsisten\$4) same (format\$1 or data or field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:36
S57	65	(multiple\$1 or pluralit\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (inconsisten\$4) same (format\$1 or field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:40
S58	0	(multiple\$1 or pluralit\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (inconsisten\$4) same (nomeclature\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:40
S59	0	(multiple\$1 or pluralit\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (nomeclature\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:40
S60	82	(multiple\$1 or pluralit\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (nomenclature\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:41
S61	6	(multiple\$1 or pluralit\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (inconsisten\$4) same (nomenclature\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:54

S62	1	(extract\$3) same (multiple\$1 or pluralit\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (nomenclature\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:55
S63	82	(multiple\$1 or pluralit\$3) same (source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (nomenclature\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:56
S64	163	(database\$1 or data near base\$1 or data near source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (nomenclature\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:57
S65	4	(database\$1 or data near base\$1 or data near source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same inconsisten\$3 same (nomenclature\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:57
S66	7	(database\$1 or data near base\$1 or data near source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same inconsisten\$4 same (nomenclature\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:57
S67	8	(database\$1 or data near base\$1 or data near source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same inconsisten\$4 same (nomenclature\$1 or standard\$1 near term\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:58
S68	8	(database\$1 or data near base\$1 or data near source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same inconsisten\$4 same (nomenclature\$1 or standard\$1 near (term\$1 or expression\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:58
S69	200	(database\$1 or data near base\$1 or data near source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (nomenclature\$1 or standard\$1 near (term\$1 or expression\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:59

S70	163	(database\$1 or data near base\$1 or data near source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same (nomenclature\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:59
S71	2	("20030093414").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 10:31
S72	3	("6332135").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 10:32
S73	10395	707/3,4,10,102,104.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/18 15:47
S74	5880	709/203,219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/18 15:50
S75	0	707/3,4,10,102,104.1.ccls. and 709/203,219.ccls. and (multiple\$1 or pluralit\$3) same (data near source\$1 or provider\$1) and format\$3 same (normal\$8 or uniform\$3 or conform\$3) same (predetermin\$3 or pre-determin\$3 or preset\$4 or pre-set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/18 15:48
S76	3	707/3,4,10,102,104.1.ccls. and 709/203,219.ccls. and (multiple\$1 or pluralit\$3) same (data near source\$1 or provider\$1) and format\$3 same (transform\$3 or convert\$3 or map\$4) same (predetermin\$3 or pre-determin\$3 or preset\$4 or pre-set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/18 15:49
S77	5	707/3,4,10,102,104.1.ccls. and (extract\$3 or transform\$6 or map\$5) same (multiple\$1 or pluralit\$3) same source\$1 same (pre-determin\$3 or predetermine\$3 or preset\$3 or pre-set\$3) same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/18 15:50

S78	4155	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/18 15:50
S79	2340	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/18 15:50
S88	9707	(database\$1 or data near base\$1 or data near source\$1 or data near provider\$1) same (conver\$5 or transform\$6 or translat\$4 or map\$4) same (normaliz\$6 or standard\$8 or uniform\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:59
S89	500	S88 and compar\$3 same (field\$1 or attribute\$1) and (rank\$3 or scor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:00
S90	277	S88 and compar\$3 with (field\$1 or attribute\$1) and (rank\$3 or scor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:03
S91	117	S90 and threshold\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:30
S92	10356	707/10,101,102,104.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:57
S93	7187	709/203,219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 18:58
S94	15	S92 and (multiple\$1 or pluralit\$3) same (data near source\$1 or provider\$1) and format\$3 same (normal\$8 or uniform\$3 or conform\$3) same (predetermin\$3 or pre-determin\$3 or preset\$4 or pre-set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:00

S95	6	S93 and (multiple\$1 or pluralit\$3) same (data near source\$1 or provider\$1) and format\$3 same (normal\$8 or uniform\$3 or conform\$3) same (predetermin\$3 or pre-determin\$3 or preset\$4 or pre-set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:00
S96	158	S90 and compar\$3 with (field\$1 or attribute\$1) and (rank\$3 or scor\$3) same (past or previous\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 19:03
S97	2	"20030033270"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 16:27
S98	0	(database\$1 or data near base\$1 or data near source\$1) and (correct\$3 or normaliz\$6 or reconcil\$3 or resolv\$3) same inconsisten\$4 same (nomenclature\$1 or standard\$1 near term\$1) and (rank\$3) same identical\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:19
S99	0	(multiple\$1 or pluralit\$3) same (data near source\$1 or provider\$1) and format\$3 same (normal\$8 or uniform\$3 or conform\$3) same (predetermin\$3 or pre-determin\$3 or preset\$4 or pre-set\$4) and (rank\$3 or scor\$3) same identical\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 14:20
S100	43	(multiple\$1 or pluralit\$3) same (data near source\$1 or provider\$1) and format\$3 same (normal\$8 or uniform\$3 or conform\$3) same (predetermin\$3 or pre-determin\$3 or preset\$4 or pre-set\$4) and (rank\$3 or scor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 14:21
S101	13	S100 and field\$1 same match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 15:17
S102	2	"20030084046"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 15:18

S10 3	2	("6363392").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 15:20
S10 4	0	20030101223A1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 15:20
S10 5	2	"20030101223"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 15:33
S10 6	78	"0042544"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 15:34
S10 7	0	"wo 00/42544"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 15:34
S10 8	0	pct/us00/01084	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 15:35
S10 9	2	"20030212648"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 15:26